MIAMI-DADE COUNTY, FLORIDA
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599
www.miamidade.gov/economy

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

PGT Industries, LLC
1400 Precision Drive
North Venice, FL 34275

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER – Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami-Dade County) and/or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "AW-5540" PVC Awning Window – L.M.I.

APPROVAL DOCUMENT: Drawing No. **MD-5540A.0** titled "Vinyl Awning Window NOA (LM)", sheets 1 through 10 of 10, dated 09/09/14, with revision E dated 07/30/25, prepared by manufacturer, signed and sealed by Anthony Lynn Miller, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state, model/series, and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA **revises and renews NOA No. 23-0816.13** and consists of this page 1 and evidence pages E-1, E-2, E-3, E-4 and E-5, as well as approval document mentioned above.

The submitted documentation was reviewed by **Manuel Perez, P.E.**

MIAMI-DADE COUNTY
APPROVED

9/25/25

NOA No. 25-0801.07
Expiration Date: September 24, 2030
Approval Date: September 04, 2025

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

I. EVIDENCE SUBMITTED UNDER PREVIOUS NOA's

A. DRAWINGS

1. Manufacturer's die drawings and sections.
   (Submitted under NOA No. 15-0430.07)
2. Drawing No. **MD-5540A.0** titled "Vinyl Awning Window NOA (LM)", sheets 1 through 10 of 10, dated 09/09/14, with revision D dated 08/07/23, prepared by manufacturer, signed and sealed by Anthony Lynn Miller, P.E.
   (Submitted under NOA No. 23-0816.13)

B. TESTS

1. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
   2) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
   3) Water Resistance Test, per FBC, TAS 202-94
   4) Large Missile Impact Test per FBC, TAS 201-94
   5) Cyclic Wind Pressure Loading per FBC, TAS 203-94
   6) Forced Entry Test, per ASTM F588 and TAS 202-94

   along with marked-up drawings and installation diagram of all PGT Industries, Inc. representative units listed below and tested to qualify **Dowsil 791** and **Dowsil 983** silicones, prepared by Fenestration Testing Laboratory, Inc., Test Reports No.: **FTL-7897,** PGT PW5520 PVC Fixed Window (unit 6 in proposal), dated 09/03/14 **FTL-20-2107.1,** PGT SGD780 Aluminum Sliding Glass Door (unit 7 in proposal) **FTL-20-2107.2,** PGT CA740 Alum. Outswing Casement Window (unit 8 in proposal) **FTL-20-2107.3,** PGT PW7620A Aluminum Fixed Window (unit 9 in proposal) and **FTL-20-2107.4**, PGT PW7620A Aluminum Fixed Window (unit 10 in proposal) dated 07/13/20, all signed and sealed by Idalmis Ortega, P.E.
   (Submitted under NOA No. 20-0402.05)
2. Test reports on: 1) Uniform Static Air Pressure Test, Loading per FBC, TAS 202-94
   2) Large Missile Impact Test per FBC, TAS 201-94
   3) Cyclic Wind Pressure Loading per FBC, TAS 203-94

   along with marked-up drawings and installation diagram of a PVC sliding glass door, a PVC fixed window and an aluminum sliding glass door, using: Kadispace 4SG TPS spacer system, Duraseal® spacer system, Super Spacer® NXT™ spacer system and XL Edge™ spacer system at insulated glass, prepared by Fenestration Testing Laboratory, Inc., Test Reports No. **FTL-8717, FTL-8968** and **FTL-8970**, dated 11/16/15, 06/07/16 and 06/02/16 respectively, all signed and sealed by Idalmis Ortega, P.E.
   (Submitted under NOA No. 16-0714.21)

Manuel Perez, P.E.
Product Control Examiner
NOA No. 25-0901.07
Expiration Date: September 24, 2030
Approval Date: September 04, 2025

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

I. EVIDENCE SUBMITTED UNDER PREVIOUS NOA's (CONTINUED)

B. TESTS (CONTINUED)

3. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
   2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
   3) Water Resistance Test, per FBC, TAS 202-94
   4) Forced Entry Test, per FBC 2411.3.2.1, and TAS 202-94
   5) Large Missile Impact Test per FBC, TAS 201-94
   6) Cyclic Wind Pressure Loading per FBC, TAS 203-94
   along with marked-up drawings and installation diagram of a series AW5540/5440 PVC awning windows, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-8183**, dated 04/02/14, signed and sealed by Idalmis Ortega, P.E.
   (Submitted under NOA No. 15-0430.07)
4. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
   2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
   3) Water Resistance Test, per FBC, TAS 202-94
   4) Forced Entry Test, per FBC 2411.3.2.1, and TAS 202-94
   5) Large Missile Impact Test per FBC, TAS 201-94
   6) Cyclic Wind Pressure Loading per FBC, TAS 203-94
   along with marked-up drawings and installation diagram of a series 5540/5440 vinyl fixed windows w/tube mullion, prepared by Fenestration Testing Laboratory, Inc., Test Report No. **FTL-8174**, dated 03/31/15, signed and sealed by Idalmis Ortega, P.E.
   (Submitted under NOA No. 15-0430.07
5. Additionally, Reference Test Report No. **FTL-7897** per TAS 201, 202 & 203-94, issued by Fenestration Testing Laboratory, Inc.
   (Submitted under NOA No. 15-0430.07)

C. CALCULATIONS

1. Anchor verification calculations and structural analysis, complying with FBC 6th Edition (2017) prepared by manufacturer, dated 04/24/15, revised on 09/03/15 and updated to the FBC 7th Edition (2020) on 03/25/20, signed and sealed by Anthony Lynn Miller, P.E.
   (Submitted under NOA No. 20-0402.05)
2. Glazing complies with **ASTM E1300-09**

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER).

Manuel Perez

Manuel Perez, P.E.
Product Control Examiner
NOA No. 25-0801.07
Expiration Date: September 24, 2030
Approval Date: September 04, 2025

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

I. EVIDENCE SUBMITTED UNDER PREVIOUS NOA's (CONTINUED)

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. **19-0305.02** issued to **Kuraray America, Inc.** for their "**Trosifol® Ultraclear, Clear and Color PVB Glass Interlayers**" dated 05/09/19, expiring on 07/08/24.
2. Notice of Acceptance No. **18-0725.11** issued to **Kuraray America, Inc.** for their "**Kuraray SentryGlas® Xtra™ (SGX™) Clear Glass Interlayer**" dated 05/23/19, expiring on 05/23/24.
3. Notice of Acceptance No. **18-0122.02,** issued to **ENERGI Fenestration Solutions USA, Inc.**, for their **White Rigid PVC Exterior Extrusions for Windows and Doors**, dated 03/08/18, expiring on 02/28/23.
4. Notice of Acceptance No. **18-1217.15,** issued to **ENERGI Fenestration Solutions USA, Inc.**, for their **Bronze and Lighter Shades of Cap Coated Rigid PVC Exterior Extrusions for Windows and Doors**, dated 01/17/19, expiring on 04/16/20.
5. Notice of Acceptance No. **18-1217.16,** issued to **ENERGI Fenestration Solutions USA, Inc.**, for their **Performance Core Rigid PVC Exterior Extrusions for Windows and Doors**, dated 01/17/19, expiring on 02/04/21.

F. STATEMENTS

1. Statement letter of conformance, complying with **FBC 8th Edition (2023)**, dated 08/07/23, issued by manufacturer, signed and sealed by Anthony Lynn Miller, P.E. ***(Submitted under NOA No. 23-0816.13)***
2. Statement letter of no financial interest, dated March 19, 2020, issued by manufacturer, signed and sealed by Anthony Lynn Miller, P.E. ***(Submitted under NOA No. 20-0402.05)***
3. Proposal No. **19-1155 TP** issued by the Product Control Section, dated January 10, 2020, signed by Ishaq Chanda, P.E. ***(Submitted under NOA No. 20-0402.05)***
4. Proposal issued by the Product Control Section, dated 09/29/14 and revised on 10/15/14, signed by Jaime D. Gascon, P.E. ***(Submitted under NOA No. 15-0430.07)***
5. Proposal No. **16-0125** issued by the Product Control Section, dated March 09, 2016, signed by Ishaq Chanda, P.E. ***(Submitted under NOA No. 16-0714.21)***

G. OTHERS

1. Notice of Acceptance No. **20-0402.05**, issued to PGT Industries, Inc. for their Series "AW-5540" PVC Awning Window – L.M.I." approved on 08/20/20 and expiring on 09/24/25.

Manuel Perez

Manuel Perez, P.E.
Product Control Examiner
NOA No. 25-0801.07
Expiration Date: September 14, 2030
Approval Date: September 04, 2025

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

2. NEW EVIDENCE SUBMITTED

A. DRAWINGS

1. Drawing No. **MD-5540A.0** titled "Vinyl Awning Window NOA (LM)", sheets 1 through 10 of 10, dated 09/09/14, with revision **E** dated 07/30/25, prepared by manufacturer, signed and sealed by Anthony Lynn Miller, P.E.

B. TESTS

1. None.

C. CALCULATIONS

1. None.

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER).

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. **24-0205.08** issued to **Kuraray America, Inc.** for their "**Trosifol® Ultraclear, Clear and Color PVB Glass Interlayers**" dated 03/21/24, expiring on 07/08/29.
2. Notice of Acceptance No. **23-0717.30** issued to **Kuraray America, Inc.** for their "**SentryGlas® (Clear and White) Glass Interlayers**" dated 08/31/23, expiring on 07/04/28.
3. Notice of Acceptance No. **24-0618.01,** issued to **Vision Extrusions Group Limited**, for their **White Rigid PVC Exterior Extrusions for Windows and Doors**, approved on 07/18/24, expiring on 09/30/29.
4. Notice of Acceptance No. **25-0609.03,** issued to **Vision Extrusions Group Limited**, for their **Tan 3040 and Lighter Shades (Non-White) Rigid PVC Exterior Extrusions for Windows and Doors**, approved on 07/10/25, expiring on 02/04/31.
5. Notice of Acceptance No. **24-0401.07,** issued to **Vision Extrusions Group Limited**, for their **Black and Lighter Shades of Cap Coated Rigid PVC Exterior Extrusions for Windows and Doors**, approved on 05/09/24, expiring on 07/28/27.
6. Notice of Acceptance No. **23-0830.05,** issued to **Vision Extrusions Group Limited**, for their **VE 1000 Tan 202 and Lighter Shades (Non-White) Rigid PVC Exterior Extrusions for Windows and Doors**, approved on 10/26/23, expiring on 12/29/26.
7. Notice of Acceptance No. **24-0618.02,** issued to **Vision Extrusions Group Limited**, for their **Painted or Laminated White Rigid PVC Exterior Extrusions for Windows and Doors**, approved on 07/18/24, expiring on 09/30/29.

Manuel Perez, P.E.
Product Control Examiner
NOA No. 25-0801.07
Expiration Date: September 14, 2030
Approval Date: September 04, 2025

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

2. NEW EVIDENCE SUBMITTED (CONTINUED)

F. STATEMENTS

1. Statement letter of conformance, complying with **FBC 8th Edition (2023)**, dated July 30, 2025, issued by manufacturer, signed and sealed by Anthony Lynn Miller, P.E.
2. Statement letter of no financial interest, dated July 30, 2025, issued by manufacturer, signed and sealed by Anthony Lynn Miller, P.E.
3. Article of conversion of PGT Industries, Inc to PGT industries, LLC pdf provided on 12/24/24 by Ms. April Lee, Assistant General Counsel.
4. Florida Department of State, Division of Corporation listing # L24001420?0 of PGT Industries LLC as active status since 12/17/24.
5. Florida Department of State, Division of Corporation listing # F03387 of PGT Industries, Inc as Inactive status.
6. PGT Name change organization chart layout prepared by RER (for file use only).


G. OTHERS

1. Notice of Acceptance No. **23-0816.13**, issued to PGT Industries, Inc. for their Series "AW-5540" PVC Awning Window – L.M.I." approved on 09/07/23 and expiring on 09/24/25.


Manuel Perez, P.E.
Product Control Examiner
NOA No. 25-0801.07
Expiration Date: September 24, 2030
Approval Date: September 04, 2025

GENERAL NOTES SERIES 5040
IMPACT RESISTANT
VINYL AWNING WINDOW

IMPACT RATING	DESIGN PRESSURE RATING
LARGE & SMALL MISSILE IMPACT RESISTANT	LARGER THAN OR EQUAL +50.0 / -50.0 PSF (+2.4 / -2.4 kPa)



TYP. EQUAL LEG/BOX & FLANGE FRAME ANCHORAGE



TYP. 6/8 EQUAL LEG/BOX & FLANGE FRAME ANCHORAGE USING FRAME ASSEMBLY TUBE/MULL



TYP. INTEGRAL FIN & J CHANNEL FRAME ANCHORAGE

VISIBLE LIGHT FORMULAS

GENERAL NOTES	1
ELEVATIONS	1
FRAME, GLASS & ANCHOR OPTIONS	2
INSTALLATION, FLANGE & EQUAL LEG	3
INSTALLATION, INTEGRAL FIN & J CHANNEL	4
FRAME ASSEMBLY TUBE	5, 6
GLAZING DETAILS (SP-1986) (2 & 3)	7
GLAZING DETAILS (SP-1986) (4 & 5)	8
ROW & ASSEMBLY	9, 10

PRODUCT REVIEWED
In conformity with the Florida Building Code
Mode No. 25-0801.07
Expiration Date: 08/24/2030
By:
Miami-Dade Product Control

ADD NOTE: LS - 4M

PGT

ANTHONY LYNN MILLER
LICENSE
No. 68758
STATE OF FLORIDA
PROFESSIONAL ENGINEER

Window Type	Description	Table #	Wizard #
3	[illegible]	5, 6	3
4	[illegible]	5, 6	4
7	[illegible]	5, 6	7
8	[illegible]	5, 6	8
9	[illegible]	6	9
10	[illegible]	6	10
11	[illegible]	6	11
12	[illegible]	6	12
13	[illegible]	6	13
14	[illegible]	6	14
15	[illegible]	6	15
16	[illegible]	6	16

Group	Position	Substrate	Min. Edge Distance	Min. Embedment*
1	[illegible]	[illegible]	[illegible]	[illegible]
2	[illegible]	[illegible]	[illegible]	[illegible]
3	[illegible]	[illegible]	[illegible]	[illegible]

Group	Position	Substrate	Min. Edge Distance	Min. Embedment*
1	[illegible]	[illegible]	[illegible]	[illegible]
2	[illegible]	[illegible]	[illegible]	[illegible]
3	[illegible]	[illegible]	[illegible]	[illegible]

Part #	Description	Material
100	[illegible]	[illegible]
101	[illegible]	[illegible]
102	[illegible]	[illegible]
103	[illegible]	[illegible]

KEEPSPACE #SG TPS

SUPER SPACER® NXT™

DURASEAL® SPACER

XL EDGE™ SPACER

TYP. GLAZING DETAIL

PGT

DWVL IMPACT WINDOW NOA (UM) | 9/9/14

GLASS ANCHOR/FRAME OPTN. | JENELTUSCANY


NO CHANGES THIS SHEET - AM | 07/30/20

A08-0040 | 2 OF 11 | [illegible] | E

PRODUCT REVIEWED
As complying with the Florida Building Code
NOA No. 20-0901.07
Expiration Date: 05/24/2020
By: [illegible]
Miami-Dade Product Control


INSTALLATION DETAILS FOR FLANGE & EQUAL-LEG/BOX FRAMES

INSTALLATION OPTION 1




VERTICAL SECTION B-B

INSTALLATION OPTION 2




INSTALLATION OPTION 3




HORIZONTAL SECTION A-A

INSTALLATION OPTION 4



INSTALLATION OPTION 4



VISIBLE LIGHT FORMULAS

PRODUCT REVISED
In compliance with the Florida Building Code
NOA No. 23-0911.07
Expiration Date: 09/24/2028
By: Miguel Diaz, Product Approval

PGT


DRWG. SWING WINDOW NOA 0.06 | 9/9/14

FLANGE & EQUAL LEG FRAMES | JENIS RUSCHAK


NO CHANGES THIS SHEET - AM | 07/30/25

808-6040 | 5 OF 11 | 808-6040A.0 | E

INSTALLATION DETAILS FOR INTEGRAL FIN & J-CHANNEL FRAMES




VERTICAL SECTION D-D



HORIZONTAL SECTION C-C



INSTALLATION OPTION 7



INSTALLATION OPTION 5



INSTALLATION OPTION 6

PRODUCT REVISED
In complying with the Florida Building Code
NOA No. 23-0801.07
Expiration Date: 08/24/2028
By: Miguel Vera
Miguel Vera, Product Engineer

PGT

VINYL AWNING WINDOW NOA 0.06		SIZE
J-CHANNEL & FIN FRAMES	JENELD DESIGNS	
NO CHANGES THIS SHEET - AM		07/30/20
AW-0040	4 OF 11	AW-0040A.0

MIGUEL VERA No. 66705 STATE OF FLORIDA PROFESSIONAL ENGINEER

ILLUSTRATION OF AWNING-TO-AWNING (XX)

(EQUAL LEG BOX FRAME WITH VERTICAL PRODUCTS COMBINED)






ILLUSTRATION OF AWNING-TO-CASEMENT TO FIXED CASEMENT (X'X'O)

(FLANGE FRAME WITH DIFFERENT SIZE SERIES PRODUCTS COMBINED)






PRODUCT REVISED
In compliance with the Florida Building Code
NOA No. 23-0801.07
Expiration Date: 08/24/2028
By: [illegible]
Miami-Dade Product Approval

PGT
[illegible]

VINYL AWNING WINDOW NOA (UM) | 915.14
FRAME ASSY. TUBE DET-NA-S-A | SERIES 70 DOOR/WINDOW
NO CHANGES THIS SHEET - AM | 07/20/23
AW-SA40 | 5 OF 10 | AW-SA40A.0 | E

ANTHONY LYNN MILLER
[illegible]
No. 86758
STATE OF FLORIDA
PROFESSIONAL ENGINEER


ILLUSTRATION OF END CAP USE WITH FIN AND J-CHANNEL FRAMES















VINYL AWNING WINDOW NOA (UM)			818.14
FRAME ASSY. TUBE SET NAILING			AFAS FIXTURING
NO CHANGES THIS SHEET - AM			07/30/20
AW-SAS	6 OF 10		E

PRODUCT REVISED
In complying with the Florida Building Code
NOA No. 20-0921.07
Expiration Date: 09/24/2025
By:
Miami-Dade Product Expires

TABLE 1

Window Design Pressure (+, psf)

Window Dimensions	20	30	40	50	60	70	80	90	100	110	120	130	140	150
12														
24														
36														
48														
60														
72														
84														
96														
108														
120														
132														
144														
156														
168														
180														
192														

Wind Zone 1+

TABLE 2

Window Design Pressure (-, psf)

Window Dimensions	20	30	40	50	60	70	80	90	100	110	120	130	140	150
12														
24														
36														
48														
60														
72														
84														
96														
108														
120														
132														
144														
156														
168														
180														
192														

Wind Zone 1-


NOTES:

1. [illegible]


2. FOR LARGE MAT SIZES, MOUNT UP TO [illegible] AVAILABLE. MULTIS OR HEIGHT DIMENSIONS

PRODUCT APPROVED
In compliance with the Florida Building Code
Miami-Dade County
Approval Date: 05/24/2020
By:
Wood Base Product Optional

(W) DENOTES THIS SHEET - ALL



GLASS TYPE 5



GLASS TYPE 6



GLASS TYPE 7



GLASS TYPE 8

PGT

ANTHONY LYNN MILLER
LICENSE
No. 58705
STATE OF FLORIDA
PROFESSIONAL ENGINEER

TABLE 1

Window Designation	Glass Thickness	Design Pressure (+/- psf)										Glass Type	Notes
		20"	30"	40"	50"	60"	70"	80"	90"	100"	110"		
FIXED													

GLAZING NOTES:
LE = LAMINATED
H = HEAT STRENGTHENED
T = TEMPERED
TP(#) = ONE TEMPERED PLY
(E.G. TP(.060") = .060" TEMPERED PLY)
"GT" = ONE SCOTCHSHIELD FILM INTERLAYER BY KURARAY AMERICA, INC.

SEE UNLABELED GLAZING COMPONENTS IN TABLE 1 SHEET 2.
SEE TYPICAL GLAZING DETAILS ON SHEET 3.

NOTES:


1. GLAZE CHANNELS NOT SHOWN
DETAILS UP TO THE MOST
AVAILABLE WIDTH OR
HEIGHT DIMENSION.

GLASS TYPES 3, 6, 7, 11
& 12 MAY NOT BE USED WITH
LOUVERS OR EXTERNAL
MULLIONS.

GLASS TYPES 3, 6, 7, 11
& 12 MAY NOT BE USED ON
OVERHEAD SLOPES.




GLASS TYPE 9



GLASS TYPE 10



GLASS TYPE 11



GLASS TYPE 12




GLASS TYPE 13



GLASS TYPE 14



GLASS TYPE 15



GLASS TYPE 16


PRODUCT APPROVED
In compliance with the Florida Building Code
Web No. 23-0801.01
Expiration Date: 05/23/2028
By:
Wood Base Product Optical

NO CHANGES THIS SHEET - AM


PGT

PGT WINDOW AND DOOR SYSTEMS

ANTHONY LYNN MILLER
License
No. 68758
STATE OF
Florida
PROFESSIONAL ENGINEER



VERTICAL HARDWARE



HORIZONTAL HARDWARE

PRODUCT REVISED
To comply with the Florida Building Code
NOA #: 22-0301.07
Expiration Date: 02/24/2023
By:
Miami-Dade Product Control


PGT


VINYL AWNING WINDOW NOA 0.06 | 9/9/14
SCM 6 ASSEMBLY 6 | JENS RUSCHMEIER
NO CHANGES THIS SHEET - AM | 07/30/20
808-6340 | 9 OF 11 | 808-6340A.0 | E

NOTE:
1. NOT ALL OPTIONS ARE SHOWN.

TABLE 1

ITEM	PART #	DESCRIPTION	MATERIAL
1	[illegible]	[illegible]	[illegible]
2	[illegible]	[illegible]	[illegible]
3	[illegible]	[illegible]	[illegible]
4	[illegible]	[illegible]	[illegible]
5	[illegible]	[illegible]	[illegible]
6	[illegible]	[illegible]	[illegible]
7	[illegible]	[illegible]	[illegible]
8	[illegible]	[illegible]	[illegible]
9	[illegible]	[illegible]	[illegible]
10	[illegible]	[illegible]	[illegible]
11	[illegible]	[illegible]	[illegible]
12	[illegible]	[illegible]	[illegible]
13	[illegible]	[illegible]	[illegible]
14	[illegible]	[illegible]	[illegible]
15	[illegible]	[illegible]	[illegible]
16	[illegible]	[illegible]	[illegible]
17	[illegible]	[illegible]	[illegible]
18	[illegible]	[illegible]	[illegible]
19	[illegible]	[illegible]	[illegible]
20	[illegible]	[illegible]	[illegible]
21	[illegible]	[illegible]	[illegible]
22	[illegible]	[illegible]	[illegible]
23	[illegible]	[illegible]	[illegible]
24	[illegible]	[illegible]	[illegible]
25	[illegible]	[illegible]	[illegible]
26	[illegible]	[illegible]	[illegible]
27	[illegible]	[illegible]	[illegible]
28	[illegible]	[illegible]	[illegible]
29	[illegible]	[illegible]	[illegible]
30	[illegible]	[illegible]	[illegible]
31	[illegible]	[illegible]	[illegible]
32	[illegible]	[illegible]	[illegible]
33	[illegible]	[illegible]	[illegible]
34	[illegible]	[illegible]	[illegible]
35	[illegible]	[illegible]	[illegible]
36	[illegible]	[illegible]	[illegible]
37	[illegible]	[illegible]	[illegible]
38	[illegible]	[illegible]	[illegible]
39	[illegible]	[illegible]	[illegible]
40	[illegible]	[illegible]	[illegible]
41	[illegible]	[illegible]	[illegible]
42	[illegible]	[illegible]	[illegible]
43	[illegible]	[illegible]	[illegible]
44	[illegible]	[illegible]	[illegible]
45	[illegible]	[illegible]	[illegible]
46	[illegible]	[illegible]	[illegible]
47	[illegible]	[illegible]	[illegible]
48	[illegible]	[illegible]	[illegible]
49	[illegible]	[illegible]	[illegible]
50	[illegible]	[illegible]	[illegible]
51	[illegible]	[illegible]	[illegible]
52	[illegible]	[illegible]	[illegible]
53	[illegible]	[illegible]	[illegible]
54	[illegible]	[illegible]	[illegible]
55	[illegible]	[illegible]	[illegible]
56	[illegible]	[illegible]	[illegible]
57	[illegible]	[illegible]	[illegible]
58	[illegible]	[illegible]	[illegible]
59	[illegible]	[illegible]	[illegible]
60	[illegible]	[illegible]	[illegible]
61	[illegible]	[illegible]	[illegible]
62	[illegible]	[illegible]	[illegible]
63	[illegible]	[illegible]	[illegible]
64	[illegible]	[illegible]	[illegible]
65	[illegible]	[illegible]	[illegible]
66	[illegible]	[illegible]	[illegible]
67	[illegible]	[illegible]	[illegible]
68	[illegible]	[illegible]	[illegible]
69	[illegible]	[illegible]	[illegible]
70	[illegible]	[illegible]	[illegible]
71	[illegible]	[illegible]	[illegible]
72	[illegible]	[illegible]	[illegible]
73	[illegible]	[illegible]	[illegible]
74	[illegible]	[illegible]	[illegible]
75	[illegible]	[illegible]	[illegible]





FRAME OPTIONS

PROJECT REVISED
for complying with the Florida Building Code
RNI #s: 25-5001.67
Expiration Date: 09/14/2030
By: [illegible]
Miami-Dade Product Control

PGT
[illegible]

VINYL AWNING WINDOW NOA (UM) | 9/9/14
SCM & ASSEMBLY B | JENS RODRIGUEZ
NO CHANGES THIS SHEET - AM | 07/30/25
A08-0040 | 10 OF 10 | A08-0040A.0 | E

ANTHONY LYNN MILLER
LICENSE
No. 86705
STATE OF FLORIDA
PROFESSIONAL ENGINEER

NOTES:
1. [illegible]
2. [illegible]
3. [illegible]
4. [illegible]